


**Adma**<sup>®</sup>  
TOOLS EXPERT  
2012 CATALOGUE





1 ASD-4RD-MM14J




1 ASD-4RD-MM8J



1 ASD-4RD-M25J



2 ASD-3R-S14J



2 ASD-3R-S7J



2 ASD-3R-S9J



3 ASD-3MN-M10J



3 ASD-3MN-M13J



3 ASD-3MN-M12J



4 ASD-2R-M12J



4 ASD-2R-M14J

NO.	DESCRIPTION
1	ASD-4RD-MM14J 1/2" DR. 14mm Deep Impact Socket CR-MO
	ASD-4RD-MM8J 1/2" DR. 8mm Deep Impact Socket CR-MO
	ASD-4RD-M25J 1/2" DR. 25mm Deep Impact Socket CR-MO
2	ASD-3R-S14J 3/8" DR. 7/8" Regular Impact Socket CR-MO
	ASD-3R-S7J 3/8" DR. 7/16" Regular Impact Socket CR-MO
	ASD-3R-S9J 3/8" DR. 9/16" Regular Impact Socket CR-MO
3	ASD-3MN-M10J 3/8" DR. 10mm Magnetic Nut setter Socket CR-MO
	ASD-3MN-M12J 3/8" DR. 12mm Magnetic Nut Setter Socket CR-MO
	ASD-3MN-M13J 3/8" DR. 13mm Magnetic Nut Setter Socket CR-MO
4	ASD-2R-M12J 1/4" DR. 12mm Regular Impact Socket CR-MO
	ASD-2R-M14J 1/4" DR. 14 mm Regular Impact Socket CR-MO
5	ASD-410HBC-BK 1/2" DR. 10 pcs Hex Bit Set CR-MO 5,6,7,8,9,10,11,12,14mm & 1/2"DR. x 1/2"
6	ASD-407UDM-B2R 1/2" DR. 7 pcs Impact Deep Universal Joint E-TORX Set CR-MO
7	ASD-405FSPEBC00-K2R 1/2" DR.5 pcs Flip Impact Socket Set CR-MO Flip 3/4"*13/16",17*19 + Adapter 3/8"F x 1/2"M 1/2" DR. Spinning Ext. Bar (bearing)
8	ASD-409EBC-K1R 1/2" DR. 9 pcs Extension Bar Set CR-MO Ext. Bar 3".5".10" Adapter 1/2"F*3/8"M. 1/2"F*3/4"M. 1/2" Dr. Universal Joint(MD) 1/2"dr.+ O-Ring+Pin
9	ASA-308RUS-B2R 3/8" DR. 8 pcs Regular Universal Socket Set CR-V 3/8",7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

# Adma TOOLS EXPERT



▲ 5 ASD-410HBC-BK



▲ 6 ASD-407UDM-B2R



▲ 7 ASD-405FSPEBC00-K2R



▲ 8 ASD-409EBC-K1R



▲ 9 ASA-308RUS-B2R



HAMMERS, PUNCHES  
& CHISELS



WRENCHES &  
SPANNERS




IMPACT SOCKETS  
& ACCESSORIES




PLIERS  
TOOLS



▲ 10 ASD-8RD-M19J



▲ 11 ASD-6RD-M30J



▲ 11 ASD-6RD-M38J



▲ 12 ASD-6B-M21J



▲ 13 ASD-8EBO-S12J



▲ 14 ASD-6SPEBW-S10J



▲ 15 ASD-8SPEBW-S10J



▲ 16 ASD-4UJ-S8J



▲ 17 ASA-3BH-S3E




▲ 17 ASA-4BH-S3E




▲ 18 ASD-4DBH-S4J



▲ 18 ASD-4BH-S4J



NO.	DESCRIPTION
10	<b>ASD-8RD-M19J</b> 1" DR. Regular Deep Impact Socket CR-MO
11	<b>ASD-6RD-M30J</b> 3/4" DR. 30mm Regular Deep Impact Socket CR-MO <b>ASD-6RD-M38J</b> 3/4" DR. 38mm Regular Deep Impact Socket CR-MO
12	<b>ASD-6B-M21J</b> 3/4" DR. 21mm * 41mm Budd Whell CR-MO
13	<b>ASD-8EBO-S12J</b> 1" DR. 12" Extension Bar CR-MO
14	<b>ASD-6SPEBW-S10J</b> 3/4" Dr. 10" Spinning Extension Bar CR-MO
15	<b>ASD-8SPEBW-S10J</b> 1" Dr. 10" Spinning Extension Bar CR-MO
16	<b>ASD-4UJ-S8J</b> 1/2" DR. Impact Universal Joint 2 stage CR-MO
17	<b>ASA-3BH-S3E</b> 3/8" DR. 3" Bit Holder CR-V <b>ASA-4BH-S3E</b> 1/2" DR. 1/4" *3" Bit Holder CR-V
18	<b>ASD-4DBH-S4J</b> 1/2" DR. *1/4" Impact Bit Holder CR-MO <b>ASD-4BH-S4J</b>
19	<b>ASD-207AS-KR</b> 1/4".3/8".1/2".3/4" DR. Adapter Set CR-MO 1/4"Fx3/8"M. 3/8"Fx1/4"M. 3/8"Fx1/2"M. 1/2"Fx3/8"M. 1/2"Fx3/4"M, 3/4"Fx1/2"M
20	<b>ASA-460RC-KD</b> 3/8".1/2" DR. 60 pcs Sockets Set CR-V
21	<b>ASD-610HM-KR</b> 3/4" DR. 10 pcs Hex Sockets Set CR-MO



▲ 19 ASD-207AS-KR



▲ 20 ASA-460RC-KD



▲ 21 ASD-610HM-KR



HAMMERS, PUNCHES  
& CHISELS



WRENCHES &  
SPANNERS



IMPACT SOCKETS  
& ACCESSORIES



PLIERS  
TOOLS

# Adma

TOOLS EXPERT



▲ 22 Circlip Pliers 5.5" to 9"



▲ 23 Safety Pliers



▲ 24 Gear Wrench



▲ 25 Hand Socket



▲ 26 Puller



▲ 27 Hammer



TWA-LC Series

TWA-F Series

TWA-D Series

▲ 28



▲ 29 ASD-412RBM-HK



▲ 30 WRENCH





▲ 31 TWA-07FOM-KK



▲ 32 ET-4AC-BK

**NO. DESCRIPTION**

	External With internal straight and bent nose. spring inside joint. Fitted with foam rubber handles for added comfort and grip.		
	Circclip Pliers, External (Straight, Bent) CR-V		
	L (mm) Ømm Weight (g)		
	140 10-25 120		
	180 19-60 160		
	240 40-100 320		
22	Circclip Pliers 5.5" to 9"		
	Circclip Pliers, Internal (Straight, Bent) CR-V		
	L (mm) Ømm Weight (g)		
	140 8-25 110		
	180 19-60 140		
	240 40-100 300		
	With internal straight and bent nose. Spring inside joint. Fitted with foam rubber handles for added comfort and grip.		
23	Safety Pliers		
	4pcs Safety Pliers Set CR-V Combination Plier of 180mm x 1 Long Nose Plier of 200mm x 1 Diagonal Cutting Plier of 160mm x 1 Wire Stripping Plier of 160mm x 1 Matt finished		
24	Gear Wrench		
	Double Box Gear Wrench 17mm One-Way Reversible Combination Gear Wrench 17mm One-Way Flexible Combination Gear Wrench 17mm One-Way Reversible Stubby Gear Wrench 17mm		
25	Hand Socket		
	1/4", 3/8", 1/2" DR. Regular / Deep Sockets CR-V		
26	Puller		
	Puller 2 Jaws / 3 Jaws CR-V Size: 75mm-300mm		
27	Hammer		
	Rubber Mallet Hammers Curved Claw Hammers Ball Pein Hammers		
28	TWA		
	New Lock-Click Type Torque Wrench 1/4" x 4-20 Nm (1/4" x 20-100 inch pounds) 3/8" x 20-100 Nm (3/8" x 10-60 FT/LBS) 1/2" x 40-200 Nm (1/2" x 30-150 FT/LBS) 1/2" x 60-340 Nm (1/2" x 30-250 FT/LBS) 3/4" x 50-450 Nm 3/4" x 150-800 Nm (3/4" x 100-600 FT/LBS)	Fixed Torque Wrench (Color-coded torque) 1. Yellow - 90Nm (65 FT/LB) 2. Blue - 110Nm (80 FT/LB) 3. Gray - 135Nm (100 FT/LB) 4. White - 160Nm (120 FT/LB) 5. Aqua - 190Nm (140 FT/LB)	Digital Torque Wrench Drive N.M./KGM L (mm) 1/4" 10-50 390 3/8" 20-100 390 1/2" 40-200 490
29	ASD-412RBM-HK		
	1/2" DR. 12 pcs Ribs Bit Sockets Set CR-MO 4,5,6,7,8,9,10,11,12,13,14 mm		
30	WRENCH		
	8 pcs wrench pack set		
31	TWA-07FOM-KK		
	Fixed Torque Open Wrench Open Wrench Size:17 m/m;Fixed Torque:18 Nm Open Wrench Size:22 m/m;Fixed Torque:42 Nm Open Wrench Size:24 m/m;Fixed Torque:55 Nm Open Wrench Size:26 m/m;Fixed Torque:55 Nm Open Wrench Size:27 m/m;Fixed Torque:65 Nm Open Wrench Size:29 m/m;Fixed Torque:65 Nm Electronic Torque Adapter		
32	ET-4AC-BK		
	Electronic Torque Adapter		



HAMMERS, PUNCHES & CHISELS



WRENCHES & SPANNERS



IMPACT SOCKETS & ACCESSORIES



PLIERS TOOLS




**Adma**®  
TOOLS EXPERT

**YUH YEOU INDUSTRY CO., LTD.**

4F-1 · No.7, Ln.173, Shang'an Rd, Xitun Dist, Taichung City 407, Taiwan

TEL 886 4 2462 1111 FAX 886 4 2463 7332

E-mail: service@admatools.com.tw http://www.admatools.com.tw



[www.admatools.com.tw](http://www.admatools.com.tw)